

**IDP**  
2'X2'

Página 1 ●

**IDP**  
600X600

Página 1 ●

IDP

**IDP**

FEATURES INCHES 2' x 2'

01

**IDP**

FEATURES MILLIMETERS 600 X 600

01

**MENÚ**

|                |      |
|----------------|------|
| Catalog Number |      |
| Notes          | Type |

## FEATURES & SPECIFICATIONS

### INTENDED USE

Recessed parabolic luminaires provide general illumination for office, retail and other open area applications where light cut-off is desired.

### ATTRIBUTES

Designed for use with T8 lamps with electronic ballasts.

### CONSTRUCTION

Housing formed with 0.5 mm steel provides superior structural integrity. Torsion spring latches hingeable on either side for easy relamping.

### FINISH

Housing is powder painted white.

### OPTICAL


Specular aluminum louver along and across the lamps. Double parabolic.

### LISTING

UL Listed HPF electronic ballast.

### International Series Parabolic Troffer

# IDP



### Specifications

|                    |       |         |
|--------------------|-------|---------|
| Nominal dimension: | 2'x2' | 2'x4'   |
| Length:            | 24    | 48      |
| Width:             | 24    | 24      |
| Depth:             | 3.5   | 3.5     |
| Gross weight:      | 5.7kg | 10.9 kg |

All dimensions are inches unless otherwise specified.

## ORDERING INFORMATION

Choose the boldface catalog nomenclature that best suits your needs and write it on the appropriate line. Order accessories as separate catalog number.

Example: **2IDP G 3 32 36S 120 1/3**

| 2IDP                                  | G                      |                        |                                      |  | 120            |  |
|---------------------------------------|------------------------|------------------------|--------------------------------------|--|----------------|--|
| <b>Series</b>                         | <b>Trim type</b>       | <b>Number of lamps</b> | <b>Lamp type</b>                     | <b>Number of cells / louver finish</b>   | <b>Voltage</b> | <b>Options</b>   |
| <b>2IDP</b> Double parabolic, 2' wide | <b>G</b> Imperial grid | <b>3</b><br><b>4</b>   | <b>17</b> 17W T8<br><b>32</b> 32W T8 | <b>18S</b> 3x6, specular<br><b>24S</b> 4x6, specular<br><b>36S</b> 3x12, specular<br><b>48S</b> 4x12, specular | <b>120</b>     | <b>1/3</b> One 3-lamp electronic ballast<br><b>1/4</b> One 4-lamp electronic ballast |

### Availability and Dimensions

| Nominal size | Number of lamps | Lamp type | Number of cells      |
|--------------|-----------------|-----------|----------------------|
| 2' x 2'      | 3, 4            | 17W       | 18 (3x6), 24 (4x6)   |
| 2' x 4'      | 3, 4            | 32W       | 36 (3x12), 48 (4x12) |

**IDP**  
2'X2'

Página 1 ●

**IDP**  
600X600

Página 1 ●

**MENÚ**

01

|                |      |
|----------------|------|
| Catalog Number |      |
| Notes          | Type |

## FEATURES & SPECIFICATIONS

### INTENDED USE

Recessed parabolic luminaires provide general illumination for office, retail and other open area applications where light cut-off is desired.

### ATTRIBUTES

Designed for use with T8 lamps with electronic ballasts.

### CONSTRUCTION

Housing formed with 0.5 mm steel provides superior structural integrity. Torsion spring latches hingeable on either side for easy relamping.

### FINISH

Housing is powder painted white.

### OPTICAL


Specular aluminum louver along and across the lamps. Double parabolic.

### LISTING


CE high power factor electronic ballast.

### International Series Parabolic Troffer

# IDP



600x600



600x1200

### Specifications

|                     |         |          |
|---------------------|---------|----------|
| Nominal dimension:  | 600x600 | 600x1200 |
| Length:             | 597     | 1197     |
| Width:              | 597     | 597      |
| Depth:              | 90      | 90       |
| Electronic ballast: | 5.7kg   | 10.9kg   |

All dimensions are millimeters unless otherwise specified.

## ORDERING INFORMATION

Example: **2IDP MG 3 36 36S 23050HZ 1/3**

Choose the boldface catalog nomenclature that best suits your needs and write it on the appropriate line. Order accessories as separate catalog number.

| 2IDP        |                               | MG        |             | Number of lamps |  | Lamp type |        | Number of cells / louver finish |                | 23050HZ         |  | Options    |  |
|-------------|-------------------------------|-----------|-------------|-----------------|--|-----------|--------|---------------------------------|----------------|-----------------|--|------------|--|
| Series      |                               | Trim type |             |                 |  |           |        |                                 |                | Voltage         |  |            |  |
| <b>2IDP</b> | Double parabolic, 600 mm wide | <b>MG</b> | Metric grid | <b>3</b>        |  | <b>18</b> | 18W T8 | <b>18S</b>                      | 3x6, specular  | <b>23050HZ*</b> |  | <b>1/3</b> | One 3-lamp electronic ballast              |
|             |                               |           |             | <b>4</b>        |  | <b>36</b> | 36W T8 | <b>24S</b>                      | 4x6, specular  |                 |  | <b>1/4</b> | One 4-lamp electronic ballast (n/a in 36W) |
|             |                               |           |             |                 |  |           |        | <b>36S</b>                      | 3x12, specular |                 |  |            |  |
|             |                               |           |             |                 |  |           |        | <b>48S</b>                      | 4x12, specular |                 |  |            |  |

### Availability and Dimensions

| Nominal size     | Number of lamps | Lamp type | Number of cells      |
|------------------|-----------------|-----------|----------------------|
| 600 mm x 600 mm  | 3, 4            | 18W       | 18 (3x6), 24 (4x6)   |
| 600 mm x 1200 mm | 3, 4            | 36W       | 36 (3x12), 48 (4x12) |

\*220-240, 50/60HZ ballast

**IDP**  
2'X2'

Página 1 ●

**IDP**  
600X600

Página 1 ●

**MENÚ**

01